


FIRST FLOOR 1613 S.F. TOTAL 1613 S.F.



Alternative Designs Inc

esidential/Commercia Design 94 Old Granite Street Manchester, NH 03101 phone: (603) 645-4388

fax: (603) 645-6010



FRONT ELEVATION SCALE: 1/4" = 1'-0"

ZONE 5

2018 INTERNATIONAL RESIDENTIAL CODE

- I. ALL CONSTRUCTION SHALL FOLLOW LOCAL STATE BUILDING CODE, MANUFACTURES' SPECIFICATIONS, AND WELL KNOWN INDUSTRY STANDARDS. IF ANY QUESTIONS SHALL ARISE, THE DESIGNER OR ENGINEER ON RECORD SHALL BE CONTACTED
- 2. INTERNATIONAL RESIDENTIAL CODE 2018 (IRC 2018) AND THE REFERENCED STANDARDS INCLUDED THEREIN. AHJ = AUTHORITY HAVING JURISDICTION.

A. NUMBER OF UNITS:

1 (1 OR 2)

B. NUMBER OF STORIES:

__L_ (MAX. 3)

DESIGN LOADS

- I. UNIFORM FLOOR LIVE LOAD (NON-BEDROOM):
 - A. NON -BEDROOM 40PSF
 - B. BEDROOM 30PSF G. ATTIC SOPSE
- 2. UNIFORM FLOOR DEAD LOAD: IOPSF 3. ROOF SNOW LOAD (AHJ):
 - A. GROUND SNOW LOAD: 80 PSF (TOWN, STATE SPECIFIC)
 - B. DEAD LOAD: 10 PSF
- 4. WIND DESIGN:
 - A. EXPOSURE CATEGORY _B_ (A-D, R301.2.1.4) (B IS NORMAL) B. WIND SPEED ZONE (AHJ) 120 (90 - 120, MOST OF NORTHERN AND WESTERN NH AND WESTERN MA=90, CENTRAL AND SOUTH NH AND MA = 100, NH COAST, BOSTON AND SOUTH = 110, CAPE COD AND ISLANDS = 120

- 5. SEISMIC
 - A. DESIGN CATEGORY (AHJ) (A-E, R301.2.2), (C FOR MOST OF SOUTH AND CENTRAL NH AND B FOR MA)
- 6. DAMAGE:
 - A. WEATHERING: SEVERE (CONCRETE) (R301,2(3))
 - B. TERMITE INFESTATION PROBABILITY: SLIGHT (NORTHERN NH),
- MODERATE (SOUTHERN NH), HEAVY (MA) 7. DESIGN FROST DEPTH OF _4_FEET BELOW FINISHED GRADE (4' IS TYPICAL; VERIFY AS
- NEEDED WITH AHJ)
- 8. WINTER DESIGN TEMP: NH: O DEG. F., MA IO DEG. F. (PER 301.2(1))
- 9. FLOOD HAZARD (AHJ): _NO_

- I. THESE DRAWINGS REPRESENT AN OVERALL DESIGN CONCEPT. THEY ARE PREPARED WITH THE INTENT TO DEMONSTRATE THE OVERALL DESIGN ARRANGEMENT AND METHODS OF ASSEMBLY TO THE VARIOUS COMPONENTS. THE DRAWINGS DO NOT INDICATE EXTENSIVE DETAILS. THE CONTRACTOR SHALL HAVE REVIEWED THESE PLANS SEEN THE SUBJECT PROPERTY AND RE CAPABLE OF EXECUTING THE DETAIL WORK AS NECESSARY TO ACHIEVE THE INTENDED RESULT. IN A MANNER CONSISTENT WITH QUALITY WORKMANSHIP WITHIN THE REGION.
- 2. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH ALL APPLICABLE NATIONAL STATE AND LOCAL CODES, REGULATIONS AND FHA/VA MPS.
- 3. CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS AT SITE BEFORE BEGINNING CONSTRUCTION, ANY DISCREPANCIES SHALL BE REPORTED TO ALTERNATIVE DESIGNS INC. FOR JUSTIFICATION AND OR CORRECTION BEFORE PROCEEDING WITH WORK.

- 4. THE OWNER AND CONTRACTOR SHALL HOLD HARMLESS THE DESIGNER FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES (INCLUDING LEGAL FEES) ARISING OUT OF OR RESULTING FROM THE PERFORMANCE OF THE WORK BY THE CONTRACTOR.
- 5. ALL DIMENSIONS SHOULD BE READ OR CALCULATED AND NEVER SCALED.
- 6. ALL DIMENSIONS AND CONDITIONS MUST BE VERIFIED IN THE FIELD BY THE CONTRACTOR. ANY DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE DESIGNER OR STRUCTURAL ENGINEER REFORE PROCEEDING
- 7. IN THE EVENT OF A CONFLICT BETWEEN PLANS, SPECIFICATIONS, AND DETAILS, THE DESIGNER OR STRUCTURAL ENGINEER SHALL BE NOTIFIED IMMEDIATELY FOR CONSULTATION, IF CONDITIONS AT THE SITE ARE DIFFERENT THAN SHOWN, THE DESIGNER OR STRUCTURAL ENGINEER SHALL BE NOTIFIED BEFORE ANY WORK IS PROCEEDED WITH.
- 8. ALTERNATIVE DESIGN ASSUMES NO LIABILITY AS A RESULT OF ANY CHANGES OR NON CONFORMANCE WITH THESE PLANS EXCEPT UPON THE WRITTEN APPROVAL OF THE DESIGNER OR ENGINEER ON RECORD
- 9. ALTERNATIVE DESIGN ASSUMES NO LIABILITY FOR WORK FERFORMED WITHOUT AN ACCEPTABLE PROGRAM OF TESTING AND INSPECTION AS APPROVED BY THE ENGINEER ON RECORD.
- IO.REPRODUCTION OF DESIGNER PLANS AND STRUCTURAL DRAWINGS FOR SHOP DRAWINGS IS NOT PERMITTED.
- II. SECTIONS, DETAILS, NOTES, METHODS, OR MATERIALS SHOWN AND/OR NOTED ON ANY PLAN, SECTION, OR ELEVATION SHALL APPLY TO ALL OTHER SIMILAR LOCATIONS UNLESS NOTED
- 12.THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL SHORING AND BRACING REQUIRED DURING CONSTRUCTION. TEMPORARY SUPPORTS REQUIRED FOR STABILITY DURING ALL INTERMEDIATE STAGES OF CONSTRUCTION SHALL BE REMOVED AFTER CONSTRUCTION AND ARE THE RESPONSIBILITY OF THE CONTRACTOR

REVISIONS

23-159 MAY 2023 SHEET LOF &

| | | HEADER SC | HEDULE | | |
|------------|-------------------------------|-----------|------------|-------------|--|
| SIZE | ALLOWABLE SPAN 28' BLDG WIDTH | | | | |
| | NON-BRG | ROOF ONLY | IFL & ROOF | 2 FL 4 ROOF | |
| 2-2×6 | 6'-0" | 4'-0" | NA NA | NA | |
| 2-2×8 | 8'-0" | 5'-2" | 4'-0" | NA | |
| 3-2×8 | 10'-0" | 6'-5" | 5'-6" | 5'-1" | |
| 2 - 2 X IO | 12'-0" | 6'-3" | 5'-6" | 4'-11" | |
| 2 - 2 X I2 | 16'-0" | 7'-3" | 6'-5" | 5'-9" | |

PROVIDE DBL JACKS FOR ALL SPANS OVER 5'-O"

| MARK | QTY | MODEL NUMBER | R50 | NOTES |
|------|------------|------------------------|----------|--------------------|
| Α | | 244DH3050 | | DIBL HUNG |
| В | | (2)-244DH3050 | | MULLION |
| c | | CN235 | | 3'5 X 3'5 CASEMENT |
| D | | 244DH2436 | TEMPERED | DBL HING |
| E | | | | |
| F | | (3)-244DH3 <i>0</i> 50 | | TRIPLE MULLION |
| 6 | | | | |
| Н | | | | |
| J | | | | |
| K | | | | |

NOTES:


- I. RSO TO BE DETERMINED BY WINDOW MANUFACTURER.
- 2. BEDROOM NINDOWS TO MEET EGRESS

 3. IN ACCORDANCE MITH IRZ (2016)-R9122 , WHERE THE OPENING OF AN OPERABLE MINDOW IS MORE THAN 12' ABOVE THE EXT. FINISHED GRADE OR EXT. DECK BELOW, THE LOWEST PART OF THE LEAR OPENING IS TO BE A MIN. OF 24' ABV. THE FIN. FLR.

 4. MINDOWS ARE BASED ON ANDERSEN 200 SERIES TILT-MASH MODEL NUMBERS

| DOOR SCHEDULE | | | |
|---------------|-----------|-----|-------------------|
| MARK QTY | SIZE | R50 | NOTES |
| 1 | 3'0 X 6'8 | | EXT. DOOR |
| 2 | 2'8 × 6'8 | | FIRERATED DOOR |
| 3 | 2'6 × 6'8 | | INTERIOR |
| 4 | 2'4 X 6'8 | | INTERIOR |
| 5 | 2'4 X 6'8 | | SLIDING BARN DOOR |
| 6 | 1'6 × 6'8 | | INTERIOR |
| 7 | 5'0 × 6'8 | | INTERIOR DBL DOOR |
| 8 | 6'0 × 6'8 | | EXT GLASS SLIDER |
| q | 2'8 × 6'8 | | 9-LITE |
| Ю | 2'8 × 6'8 | | STL INSUL. |
| II | 5'0 × 6'8 | | BIFOLD |
| 12 | | | |

RSO TO BE DETERMINED BY DOOR MANUFACTURER.



REAR ELEVATION SCALE: 1/8" = 1'-0"

| | B 12 14 |
|-----------|---------|
| | J |
| BASAEMENT | j J, |
| | |

| PLATE HGT | | b 12 | |
|-----------|------|-------------|-----------|
| FIR FLR | | | |
| BASEMENT | | :===== ; | BASAEMENT |

LEFT SIDE ELEVATION A3 5CALE: 1/8" = 1'-0"

RIGHT SIDE ELEVATION

SCALE: 1/8" = 1'-0"





Designs Inc. esidential/Commercial

Design 94 Old Granite Street Manchester, NH 03101 phone: (603) 645-4388 fax: (603) 645-6010

REVISIONS

23-159 MAY 2023 SHEET 3 OF 8







Alternative Designs Inc

Residential/Commercia Design 94 Old Granite Stree Manchester, NH 03101 phone: (603) 645-4388 fax: (603) 645-6010

REVISIONS

MAY 2023

SHEET 5 OF 8